

Flexo CI

Manufacturer: FISCHER & KRECKE

Model: F16 S

Year: 2001

Number of colors: 8

Print possibilities: 8 + 1 Gravure Coating lamination unit + 1 Gravure coating in register

Gearless: Yes

Fast sleeve change: Yes

4 motor per deck CNC position system: Yes

Computer supervision: Yes

Web width (mm): 1270

Print width (mm): 1320

Min print repeat (mm): 350

Max print repeat (mm): 800

Unwinder type: Turret Automatic with roll loading system

Max reel diameter unwinder (mm): 1000

Rewinder type: Turret Automatic with roll unloading system

Max reel diameter rewinder (mm): 1000

Drying: CI section 2 zone s - 4 fans 5 mt tunnel - 1st Gravure unit 2 zones with 2 x 6 mt hoods totally 12 mt - 2nd Gravure coating unit 2 zones with 2 x 6 mt hoods totally 12 mt

Videocamera: Yes BST E LTROMAT new 2018

Corona treatment : 3 corona treaters driven

Web guides: 4 before print section and one before each gravure unit

Viscosity control: Bloss Viscosity Control System Viscolor 2200

Washing system: Yes FK Autoclean

Inking system: Closed chamber doctor blades

Anilox: 18

Print Sleeves: 32

Additional Information:

Additional secondary Turret unwinder diam 1000 mm for lamination film

2. Sales price

Price€ 180000







